

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	75004	((sacn\$4 or writ\$4 or stor\$4 or read\$4 or retriev\$4)with (packet\$1 or segment\$1))same (memory or storage or disk or drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 08:17
L2	6784	I1 and ((power or energy)near3 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 08:14
L3	4	I1 same (((disabl\$4 or gat\$4 or inactivat\$4)near3 (clock or clk))with (chain or sequenc\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 08:17
L4	1	I3 and ((power or energy)near3 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 08:17
L5	138	I1 same (((disabl\$4 or gat\$4 or inactivat\$4)near3 (clock or clk)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 08:18
L6	12	I5 and ((power or energy)near3 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 08:18
L7	77067	((scan\$4 or writ\$4 or stor\$4 or read\$4 or retriev\$4)with (packet\$1 or segment\$1))same (memory or storage or disk or drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 08:18
L8	144	I7 same (((disabl\$4 or gat\$4 or inactivat\$4)near3 (clock or clk)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 08:18

EAST Search History

L9	13	l8 and ((power or energy)near3 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 09:41
L10	1832	((power or energy)near3 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage))with scan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 09:42
L11	2355	((power or energy)near3 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))with scan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:31
L12	746	((power or energy)near3 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))near3 scan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 09:43
L13	1	l12 with ((writ\$4 or restor\$4 or retriev\$4 or read\$4 or stor\$4 or unload\$4 or load\$4)same (chain\$1 or link\$1 or segment41))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:30
L14	39	l11 same ((writ\$4 or restor\$4 or retriev\$4 or read\$4 or stor\$4 or unload\$4 or load\$4)same (chain\$1 or link\$1 or segment41))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 09:46
L15	23	("4860290" "4905142" "4947395" "5041742" "5047710" "5054024" "5097206" "5107501" "5119202" "5181191" "5202978" "5220281" "5229657" "5230000" "5258986" "5260649" "5260947" "5260948" "5260949" "5260950" "5285153" "5325367" "5428622").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/23 10:43

EAST Search History

L16	0	((partition\$4 or segment\$4) with (scan adj chain)) same (scan\$4 with (at adj3 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:45
L17	0	((partition\$4 near3 (scan adj chain))with segment\$1) same (scan\$4 with (at adj3 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:47
L18	10	((partition\$4 near3 (scan adj chain))with segment\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:47
L19	1	("6615380").URPN.	USPAT	OR	ON	2006/02/23 13:26
L20	208	((reduc\$5 or minimiz\$5 or optimiz\$5 or limit\$5 or selecti\$4)near4 (switch\$4 or clock\$4))same (scan adj chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:28
L21	26	I12 same ((writ\$4 or restor\$4 or retriev\$4 or read\$4 or stor\$4 or unload\$4 or load\$4)same (chain\$1 or link\$1 or segment\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 14:03
L22	367	((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 14:35
L23	8	I22 and I20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:55
L24	8	("6931561" "5434993" "6886106" "6639443").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 14:00

EAST Search History

L25	38	("6931561" "5434993" "6886106" "6639443").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 14:20
L26	1	"6615380".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 14:00
L27	367	((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))same (scan\$4 ((one adj6 segment)adj4 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 14:58
L28	2	((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))same ((plural\$5 or multiple or many)near2 segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 14:38
L29	11	L27 and (partition\$4 with segment\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:01
L30	367	((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))with (scan\$4 ((one adj6 segment)adj4 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:27
L31	0	((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))with (((one adj6 segment)adj4 (at adj2 time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 14:59
L32	0	((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))with (scan\$4 with((one adj6 segment)adj4 (at adj2 time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:00

EAST Search History

L33	0	((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))same (scan\$4 with((one adj6 segment)adj4 (at adj2 time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:00
L34	0	((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))and (scan\$4 same((one adj6 segment)adj4 (at adj2 time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:02
L35	11	I30 and (partition\$4 with segment\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:01
L36	0	I30 and (scan\$4 same((one adj6 segment)adj4 (at adj2 time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:02
L37	0	(scan\$4 same((one adj6 segment)adj4 (at adj2 time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:02
L38	0	(scan\$4 same((one adj6 segment\$1)adj4 (at adj2 time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:03
L39	6	(scan\$4 same ((one adj6 segment\$1)with (at adj2 time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:05
L40	0	((partition\$4 (scan adj chain))with ((multiple or plural\$4 or many or number)near3 segment\$1))same (scan\$4 same ((one adj6 segment\$1)with (at adj2 time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:07

EAST Search History

L41	1624	((partition\$4 (scan adj chain))with ((multiple or plural\$4 or many or number)near3 segment\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:29
L42	3	I41 and ((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:26
L43	68	(scan\$4 adj (circuit\$3 or logic or block))and ((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:28
L44	118	(scan\$4 adj (circuit\$3 or logic or block or control\$4))and ((scan adj3 (power or energy))near5 (sav\$4 or conserv\$5 or consum\$5 or utiliz\$5 or usage or reduc\$5 or minimiz\$5 or optimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 16:04
L45	3	I44 and ((partition\$4 (scan adj chain))with ((multiple or plural\$4 or many or number)near3 segment\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:30
L46	2	I44 and (((configur\$5 or partition\$4)with (scan adj chain))same ((multiple or plural\$4 or many or number)near3 (section\$1 or zon\$2 or segment\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:32
L47	5	I44 and (((scan adj chain))same ((multiple or plural\$4 or many or number)near3 (section\$1 or zon\$2 or segment\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:33
L48	2	"5703789".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:33
L49	34	("5703789").URPN.	USPAT	OR	ON	2006/02/23 15:37